





























**DIMENSIONI
DIMENSIONS
ABMESSUNGEN**

PART C

	 	RN - RD	C2
	 	MN - MD	C2
	 	HN - HD	C2-C4
	 	PN - PD	C2
	 	PN - PD	C4
		F	C6
		FU	C6
		FC	C6
		FB	C8
		FS	C8
		FP	C8

C





P															
	a1	a2	a	b	B	f	h	H	Lb	P1	P2	P3	P4	Q	S
10	20	20	132	190	230	14	218	125	20	101.5	145.5	189.5	233.5	186	20
20 - 25										113.5	157.5	201.5	245.5		
30	28	28	180	250	310	22	282	160	29	176	228.5	272.5	316.5	244	30
40										194	246.5	290.5	334.5		
50-70										258.5	302.5	346.5			
80	35	35	225	300	370	26	347.5	200	35	225	292	344.5	388.5	295	34
90	35	35	225	300	370	26	347,5	200	35	257,5	324.5	377	421	295	34
100											342.5	407	451		

R														
	F	G	Lb	R	U	V	Z	X	P1	P2	P3	P4	Q	
10	185	110	7	165	6	10.5	12	45°	94.5	138.5	182.5	226.5	186	
20-25									106.5	150.5	194.5	238.5		
30	222	150	15	195	8	12.5	16	36°	133	185.5	229.5	273.5	244	
40									151	203.5	247.5	291.5		
50-70									215.5	259.5	303.5			
80	280	200	40	250	10	15	18	30°	162.5	229.5	282	326	295	
90	325	230	36	295	15	17	22	36°	237	304	356.5	400.5	295	
100										322	386.5	430.5		


M														
	F	G (e8)	Lb	R	U	V	Z	X	P1	P2	P3	P4	Q	
10	220	150	15	195	7	12.5	15	36°	102	146	190	234	186	
20-25									114	158	202	246		
30	272	175	39	245	10	12.5	18	36°	137	189.5	233.5	277.5	244	
40									155	207.5	251.5	295.5		
50-70									219.5	263.5	307.5			
80	280	200	40	250	10	15	18	30°	185	252	304.5	348.5	295	

N

N			Albero uscita / Output shaft / Abtriebswelle									
		N1	b	D h7	L	Lm	Lk	m	K (UNI 6604)	t		
											10	R - P
20	M	N3	42	82	32	6	M 16	12x8x70				
25		N1	50	82	32		M 16	14x9x70				
		N2	60	105	40		7.5	M 20	18x11x90			
	N3	65	105	40	5	M 20	18x11x90					
	N1	50	100	32		M 16	14x9x90					
30	R	N2	60	105		40	7.5	M 20	18x11x90			
40	M - P	N1	65	105	40	M 20		18x11x90				
50		N2	60	105	40	M 20		18x11x90				
70		N1	65	105	40	M 20		18x11x90				
	N2	80	130	40	10	M 20		22x14x110				
80	R	N1	80	130		40		M 20	22x14x110			
	M - P	N1	80	130		40	M 20	22x14x110				
90-100	R - P	N1	90	170	50	5	M 24	25x14x160				

D

D		Albero uscita / Output shaft / Abtriebswelle									
		D DIN 5482	D1 f7	D2 f7	Dm	L1	L	L2	Ld	Lm	m
10 - 20 - 25	R - P	B40x36	42	35	24	7	55	5	30	12	M 6
	M	B58x53	60	50	32	10	68	8	37	20	M 10
30 - 40	R	B58x53	60	50	32	10	68	8	37	20	M 10
	M - P	B58x53	60	50	32	7	80	8	50	20	M 10
80	R	B70x64	72	62	40	10	90	10	51	22	M 10
	M - P	B70x64	72	62	40	10	90	10	51	22	M 10
90-100	R - P	B80x74	85	70	45	10	90	10	50	25	M 10



P															
	a1	a2	a	b	B	f	h	H	Lb	P1	P2	P3	P4	Q	S
150-180	32	32	300	356	400	25	400	225	59	250	342.75	407.25	451.25	350	30
250	40.5	40.5	320	406	470	26	454.5	250	85.5	278	389	456	508.5	409	35
280											406	473	525.5		

R													
	F	G	Lb	R	U	V	Z	X	P1	P2	P3	P4	Q
150-180	325	230	36	295	15	17	25	36°	240	332.75	397.25	441.25	350

H																	
	G	G1	Lb	Ls	R	U	U1	Uh	V	Vs	X	Xs	P1	P2	P3	P4	Q
150-180	278	225	143	18	314	18	28	102	16.5 n°12	12 n°3	30°	45°	107	199.75	264.25	308.25	350
250	340	245	180	29	370	17	29	142	17 n°15	16 n°3	24°	36°	98	209	276	328.5	409
280														226	293	345.5	





N


N			Albero uscita / Output shaft / Abtriebswelle							t		Shape
			b	D h7	L	Lm	Lk	m	K (UNI 6604)			
150-180	R	N1	UNI 6604	90	170	50	5	M 24	25x14x160	UNI 6604	1	
	H	N2		100	210	50		M 24	28x16x200		1	
250-280	H	N1		110	210	50		M 24	28x16x200		2	

D

D		Albero uscita / Output shaft / Abtriebswelle									
		D DIN 5482	D1 f7	D2 f7	Dm	L1	L	L2	Ld	Lm	m
150-180	R	B80x74	85	70	45	10	90	10	50	25	M 10
	H	B80x74	85	70	45	10	90	10	50	25	M 10
250-280	H	B100x94	105	85	52	13	110	12	65	30	M 14



Look Part E



Look Part D

F - FU - FC												
	F	G	R	U	V	Z	X	P1	P2	P3	P4	Q
10	185	110	165	6	10.5	12	45°	94.5	138.5	182.5	226.5	186
20-25								106.5	150.5	194.5	238.5	
30	222	150	195	8	12.5	16	36°	133	185.5	229.5	273.5	244
40								203.5	247.5	291.5		
50-70								151	215.5	259.5	303.5	
80	280	200	250	10	15	18	30°	162.5	229.5	282	326	295
90	325	230	295	15	17	22	36°	237	304	356.5	400.5	295
100									322	386.5	430.5	
150-180	325	230	295	15	17	25	36°	240	332.75	397.25	441.25	350




Albero uscita / Output shaft / Abtriebswelle							
	F						
	D DIN 5482	D1 H7	D2 H7	L1	LF	L3	Lef
10-20-25	A40x36	42	-	5	30	35	7
30-40	A58x53	60	50	15	21	54	15
50-70							
80	A70x64	72	60	22	45	79	40
90-100	A80x74	85	70	24	50	87	36




Albero uscita / Output shaft / Abtriebswelle						
	FU					
	D H7	D1 f7	D2 H7	Lu	L3	Leu
10-20-25	50	62	30	38	50	55
30-40	75	100	40	70	95	85
50-70						
80	90	125	50	72	107	131
90-100	100	140	60	100	140	140



Albero uscita / Output shaft / Abtriebswelle						
	FC					
	b	D	L3	t	Lec	Shape
10-20-25	10	35	75	38.3	50	1
30-40	14	50	100	53.8	72	2
50-70						
80	18	65	120	69.4	96	2
90-100	20	75	150	79.9	94.5	2



Look Part E



Look Part D

FB													
	F	G	Lb	R	U	V	Z	X	P1	P2	P3	P4	Q
80	280	200	-	260	5	14	18	36°	162.5	229.5	282	326	295
90	325	230	-	295	4	17	25	36°	237	304	356.5	400.5	295
100										322	386.5	430.5	295

FS													
	G e8	Ls	R	U	V	Vs	X	Xs	P1	P2	P3	P4	Q
10	150	-	165	9	10.5	-	45°	-	27.5	71.5	115.5	159.5	186
20-25									39.5	83.5	127.5	171.5	
30									33	85.5	129.5	173.5	
40	200	-	222	9	10.5	-	30°	-	51	103.5	147.5	191.5	244
50-70									115.5	159.5	203.5		
80	240	-	265	9	13	-	30°	-	67	134	186.5	230.5	295
90	240	-	265	10	13	13 n°3	30°	45°	84	151	203.5	247.5	295
100										169	233.5	277.5	
150-180	278	17.5	314	14	16.5	12 n°3	30°	45°	77.5	170.25	234.75	278.75	350
250	340	23	370	22	17	16 n°3	24°	45°	94	205	272	324.5	409
280										222	289	341.5	

FP																	
	G	G1 e8	Lm	Rm	R	U	U1	Up1	m	V	X	Xm	P1	P2	P3	P4	Q
30	200	190	20	165	220	10	10	1.5	M 12	10.5	30°	36°	45	97.5	141.5	185.5	244
40	200	190	20	165	220	10	10	1.5	M 12	10.5	30°	36°	63	115.5	159.5	203.5	244
50-70														127.5	171.5	215.5	



Albero uscita / Output shaft / Abtriebswelle							
FB							
	D DIN 5482	D1 H7	D2 H7	L1	LF	L3	Leb
80	A70x64	72	-	9	58	67	10.5
90-100	A70x64	72	-	5	70	75	5



Albero uscita / Output shaft / Abtriebswelle							
FS							
	D DIN 5482	D1 H7	D2 H7	L1	LF	L3	Les
10-20-25	A40x36	42	-	6	39.5	45.5	45.5
30-40	A58x53	60	-	8	42	50	52.5
50-70							
80	A70x64	72	-	11.5	50	61.5	50
90-100	A80x74	85	-	10	58.5	68.5	57
150-180	A80x74	88	-	13.5	65	82	80
250	A100x94	102	-	10	86	96	95



Albero uscita / Output shaft / Abtriebswelle							
FP							
	D DIN 5482	D1 H7	D2 H7	L1	LF	L3	Lep
30-40	A58x53	60	-	8	41	49	40.5
50-70							